

Instant Dry Glossy White Film

ON1WF7 (225gsm)

ILFORD OMNIJET Instant Dry Glossy Photo White Film is compatible with both aqueous piezo and aqueous thermal printer types, and accepts both dye and pigmented inks. Touch-dry and smudge-resistant straight from the printer, it should, however, be allowed to dry fully before lamination. A proprietary inkjet receiver layer offers a broad colour gamut, excellent drying times and provides eye catching graphic displays.

INK COMPATIBILITY

Aqueous dye-based and pigment-based inks.

PRINTER COMPATIBILITY

IMPORTANT Printer and driver settings may need careful setup to ensure optimum performance. Ink loads need to be set appropriately for the ink/printer combination in use.

AVAILABILITY

Finished rolls Most standard widths from 24" (61cm) to 50" (127cm)

PHYSICAL PROPERTIES

Weight	225gsm
Opacity	>98%
Caliper	175micron (7mil)
Tint (L*a*b)	97.0, 1.2, -5.0
Pre Print Gloss (20°)	>45%
Environmental Use	15°C–25°C (59°F–77°F), 30–70% RH non-condensing
Storage Conditions (boxed)	10°C–30°C (50°F–86°F), 10–80% RH non-condensing

When using dye-based inks:

All unprotected "instant dry" nanoporous media may suffer from "gas fading" to some degree when used with dye based inks, depending on the display environment. To extend print life, they should be displayed under glass, laminated or otherwise protected or printed with pigmented inks.

NOTE

Specifications subject to change without notice.
All trademarks are the property of their respective companies.